

Workshop Equipment

Compressors, Lifting, Creepers, General

Compressors & Accessories



Snap-on
BRA5DV30VP
5Hp Portable
Vertical
Air Compressor
(single phase)
110 Litre



Blue-Point
ACBA3HP150
3 Hp Portable
Compressor
(single phase)

- Belt Driven
- Twin Cylinder
- 150 Litre
- 11,3 CFM



Snap-on
AIRHOSE35
Reinforced
Polyurethane Air Hose
10 metres



Blue-Point
YA999
Air/Water
Separator



Blue-Point
IM2005A
Air Hose
7 metres



Snap-on **Blue-Point**
WO:YA999SWV23AH35
Airhose with
In-Line Air/Water
Separator; Swivelling
Adapter & Quick Coupler



Blue-Point
YA502M
Swivel
Air Hose
Connector

Lifting



Snap-on
SNX3-4P
3 Tonne
Trolley Jack

View video @
<http://www.snapon.co.za/racejack>

SNX34P-31
Pad Only



SNX2670
Front/Rear Wheel Drive
Engine Support Bar



Aluminium
Jack Stands

Blue-Point
RACEJACKSET
1.5 Tonne
Capacity

Set includes:
1x Aluminium
Low Profile
Trolley Jack
2x Aluminium Jack Stands
(ALUMSTAND)



Blue-Point
SNX3JS
3 Tonne Ratcheting
Trestle Jack Set

Blue-Point
**Pneumatic Lift
Tressel Jacks**
12 Tonne Pair -
YA4712
6 Tonne Pair -
YA4716

Creepers



Snap-on
JCW45ABL
Premium Black
Composite Creeper
6 Caster



Snap-on
JCW60R
Padded Creeper
JCW60BL
6 Caster



Blue-Point
JCB36
Padded Creeper
4 Caster



Snap-on
JCPW40B
Big Kong
Padded Creeper
4 Pneumatic Tires



Snap-on
JCW90ABL
Adjustable Seat
Creeper Black
4 Caster



Snap-on
JCW95ABL
Bucket Seat
Creeper Black
4 Caster



Snap-on
JCW80AR
Padded Seat
Creeper

Tyre




Blue-Point
PG160
Dial Type
Pressure
Gauge



Blue-Point
GA356B
Dual Foot
Air Chuck

Snap-on
PBN3
Non Maring Prybar



Sightglass

Blue-Point
TPGIF1600
Tyre Gauge
and Inflator

NEW



Blue-Point
GA143C
Valve Core
and Stem Tool



Blue-Point
WHB1, WHM1, WHV1
Wheel Hangers



Blue-Point
AT240
Tyre Buffer



Snap-on
VT1B Valve Stem Tool



Blue-Point
TR107A
Tyre Valve Tool



Snap-on
TR200
Bead Breaker
For Heavy Vehicles



Blue-Point
TDG1
Gauge
Tread Depth



Blue-Point
WS14HD
Wheel
Spanner
17X19x21mm

General



Blue-Point
WV676
Utility Vise
(165mm) Jaw
• Swivel Base
• Built in Pipe Jaw



Dimensions (cm):
150W x 76D x 85H

Blue-Point
BPWORKBENCH
Heavy Duty
Workbench

- Full bottom shelf & superior powder coat finish
- Top Panel & Bottom Shelf: 13 Gauge Steel
- 12 Gauge Steel support
- Weight capacity: 545kg



Snap-on
JCK7DBL
Fender Cover

FENDERC-SR
Fender Cover
with Racing Graphics



Blue-Point
TC90A
Tail Pipe
Cutter



Blue-Point
YA3202
Pliers, Exhaust
Hanger Removal

EEHA500A
Headlight
Adjustment
For Cars,
Trucks &
Motorcycles



Workshop Equipment

Battery, Emissions, Air Con

Battery



Snap-on

**EEBC500INT
Battery Charger Plus**

- Charges 6, 12 and 24V Standard automotive, Deep cycle, AGM and Gel Cell batteries with 4, 15 and 60 amp charging rates
- GFCI outlets for auxiliary power to lights and other accessories
- Fully automatic operation. The micro-processor controlled algorithms optimize the charge cycle without overcharging
- 300 Amp engine starting power
- Exclusive flash reprogramming power supply

View video @ www.snapon.co.za/battery-charger-plus



Snap-on
**CTMS8850
Cordless
Data Saver**
Save drivability codes and settings



Snap-on
**EEJP600-E (12V)
EEJP600V24-E (12V & 24V)
Lead-Acid
Engine Starters**



Blue-Point
**BT101
Battery
Hydrometer**



Snap-on
**MOD.722SH42D
EECS750 in Visual
Foam Control**



Snap-on
**EEJP200M-EU
12 V Li-Ion Compact
Engine Starter/ USB
Charger and Light**
EEJP200M-4 OBDII to DC 5.5x2.0mm DC Plug



Blue-Point
**GA207A
Battery Automatic
Filler Bottle**

Battery, Startup & Charging System Testers



Snap-on
EECS750



Snap-on
EECS550 (Wireless)



Snap-on
EECS350

View video @ www.snapon.co.za/eees750

Specifications	EECS750	EECS550	EECS350
CCA Range	100-2,000	100-2,000	100-1,400
CCA Input	Yes	Yes	Yes
Volts	6/8/12/24	6/8/12/24	12
Rating Systems	SAE, EN, IEC, DIN, JIS	SAE, EN, IEC, DIN, JIS	SAE, EN, IEC
Battery Types	Standard, AGM, EFB	Standard, AGM, EFB	Standard, AGM
Battery Packs	Yes Series/Parallel	Yes Series	No
Battery Condition	Yes	Yes	Yes
Battery Voltage (SOC)	Yes	Yes	Yes
Tests Discharged Batteries	Yes	Yes	Yes
Reverse Polarity Protection	Yes	Yes	Yes
Cable Integrity Technology	Yes	Yes	Yes
State-of-Charge Graph	Yes	Yes	No
Detects & Displays Bad Cell	Yes	Yes	No
Temperature Compensation	4 Ranges	+ 0°	No
Poor Connection Detection	Yes	Yes	No
Custom Header/Shop Info	Yes	Yes	No
Retention Magnet	Hanger	Yes	No
Post Adaptors	Yes	Yes	No
Surface Charge Warning	Yes	Yes	No
Integrated Printer	Yes	No	No
System Test	Yes - menu routine w/ ripple detection & graph	Yes - starting/charging ripple voltage	Yes - voltmeter
Printer Capable	Integrated	IR to PC	None
Communication	IR, USB	IR, Bluetooth	No
Display	Colour 3.8/1.2"	LCD backlit (3.1" diag.)	LCD backlit (3.1" diag.)
Clamps	Large	Medium	Small
Cable Length	250cm Replaceable	250cm Replaceable	60cm Fixed

Emissions



Snap-on
**EEEEAEU150B (Petrol)
5 Gas Analyser
(Bench Top)**

- RPM and Oil temperature measurement



Snap-on
**HHGA5BP
5 Gas Analyser
(Hand-Held)**

- Fully portable and ideal for road testing

Both units tests Carbon Monoxide, Hydrocarbons, Carbon Dioxide, Oxygen, AFR/LAMDA & Nitrogen Oxid and feature an on board thermal printer.

Diagnostic Smoke Machine / Leak Detector (EVAP)

Snap-on
**EELD500
Advanced
Model**



View video @ www.snapon.co.za/EELD500



Snap-on
**EELD100A
Basic Model**

**EELD500-1
Ultra Trace Dye
UV Solution**

Mandated by most OEMs

Usages:

- Air cleaner assembly • Air ducts • Air valves • Cylinder heads • Diaphragms • EGR valve • EVAP • Exhaust manifolds • Exhaust pipes and mufflers • Fuel Tank Pressure Sensor • Intercooler • Intake gaskets • Injector o-rings • Loose clamps • MAP sensors • Mass air flow meter • Oil leaks • PCV valve and hoses • Throttle body shaft • Turbos • Vacuum hoses • Vacuum switches • Wind and water

Features	EELD500	EELD100
Diagnostic Smoke vapor technology	•	•
Patented non-contaminating UltraTraceUV dye solution pinpoints the leak	•	•
EVAP system testing	•	•
One-Touch EVAP Testing with automatic pass or fail	•	-
Pressure / Vacuum Readings	•	•
Ability to read and display leak size (mm)	0.025	0.25
Flow Control (EELD500-pulsating)	Auto	Manual
Display Type	Digital	Analog
18 Volt Lithium Cordless Batteries CTB4182	Optional	-

Air Conditioning

Air Conditioning Service Units



Unit models subject to change

**EEACEU124C
Car - Dual Gas
R134 + HFO1234yf**



**EEACEU118B
Truck & Bus**



**EEACEU128A
Car - HFO1234yf**

**EEACEU126A
Car - R134**



Download Airconditioning Catalogue www.snapon/aircon-range

Snap-on
**TR109
Valve
Core Tool
170mm length**



Snap-on
**ACT785B
Refrigerant
Gas Heated
Sensor Leak
Detector**



Blue-Point
**ECFUV17
UV Leak
Detection Kit**



Wheel Service Equipment

Wheel Balancers

EEWB500L (220V) High Volume Semi-Automatic Wheel Balancer

- 3 Dimensional parameter entry.
- Ergonomic weight tray.
- Smart Sonar.
- Laser Pointer

Optional Power Clamping Model EEWB500P



Power Clamp



Smart Sonar

EEWB300L (220V) High Volume Semi-Automatic Wheel Balancer

- 3 Dimensional parameter entry.
- Ergonomic weight tray.
- Smart Sonar.
- LED Laser Pointer



EEWB100 (220V)

Medium Volume Compact Semi-Automatic Wheel Balancer

- QuickBAL feature for reduced cycle times

EEWB9110 (220V)

Low Volume Wheel Balancer



Truck

EEWB9200 (220V) Portable Hand-Spin Wheel Balancer

- Electronic friction brake for braking after measurement.
- 12v Battery (optional).

Optional Car Adapter Kit Available

Model Number	9110	100	300L	500L
Manual Parameter Entry	■	■	■	■
Automatic Parameter Entry		2	3	3
Optimisation Mode	■	■	■	■
Balancing Modes	5	5	5	5
Spoke Mode with Hidden Weight	■	■	■	■
Automatic Breaking after Measuring Run	■	■	■	■
Digital Display	■	■	■	■
Virtual Plane Imaging Technique (VPI)	■	■	■	■
Gauge Arm with Integrated Weight Clamp		■	■	■
Pax Wheel Mode			■	■
Storage of User Profiles			4	4
Power Clamping			OPT	OPT
Smart Sonar			■	■
SPECIFICATIONS				
Shaft Diameter	40mm	40mm	40mm	40mm
Measuring Speed (rpm)	<200	<100	200	200
Rim Width (inch)	1 - 16	3 - 20	1 - 20	1 - 20
Rim Diameter Manual (inch)	12 - 22	10 - 30	8 - 30	8 - 30
Rim Diameter Automatic (inch)			8 - 25	8 - 25
Max. Wheel Width (mm)	500	500	508	508
Max. Wheel Diameter (mm)	880	900	1050	1050
Max Wheel Weight (kg)	65	70	70	70
Rim Width with Smart Sonar				3 - 15
Rim Diameter with Smart Sonar				13 - 26

Tyre Changers

EEWH5340 (220V) High Volume 24" Pneumatic Tilt-Back Tyre Changer


- Double-acting bead breaker cylinder.
- One-part mounting head vertically and lateral adjustable.
- Roller-supported horizontal arm.
- 2 Speed Turntable.
- Pedal Controlled inflater.
- Mount Help Shown (Optional).



High Volume Pneumatic Tilt-Back Tyre Changer

EEWH5300 (20", 3PH)

- Mount Help Optional



EEWH2500 (220V) Medium Volume Pneumatic Tilt-Back Tyre Changer

- Mount Help Optional



MH320 Mount Help Device

- Excellent help for mounting and demounting low and extra-low profile tyre with hard sidewalls and run flat tyres.
- Integrated pneumatic bead hold down device that turns 360° with the wheel.



EEWH900 (220V) Low Volume 20" Swing Arm Tyre Changer

Optional: Motorcycle Adaptors - ST4029456

Model Number	900	2500	5300	5300/22	5340
FEATURES					
Oilier and Water Trap	■	■	■	■	■
Tilt-Back		■	■	■	■
Mount Help Assist		OPT	OPT	OPT	OPT
Two Speed Turntable				■	■
Pedal Controlled Inflation system				■	■
SPECIFICATIONS					
Max. Wheel Diameter (mm)	990	1000	1000	1000	1000
Max. Tyre Width (inch)	12	12	12	13	15
Inner Clamping Range (inch)	12 - 22	12 - 22	12 - 22	12 - 24	12 - 24
Outer Clamping Range (inch)	10 - 20	10 - 20	10 - 20	10 - 22	10 - 24
Optional Clamping Jaws	-	10 - 24	10 - 24	10 - 24	10 - 28
Compressed Air Supply (bar)	8 - 12	8 - 12	8 - 12	8 - 12	8 - 12
Power Supply	220V 1ph	220V 1ph	380 V 3ph	220V 1ph	380 V 3ph

Other Equipment available from

Snap-on Equipment



Car
Wheel
Aligners



Truck
Wheel
Aligners



Truck
Tyre Changers

